



A GENERAL STATE  
OF THE  
WHITEHAVEN DISPENSARY,  
For the Year 1794.

---

**T**O alleviate the exquisite SUFFER-  
INGS of Disease, obviate its malign-  
ant Tendency and destructive Effects,  
or interrupt its powerful Communication,  
are the interesting Views of this most be-  
neficent INSTITUTION. An Appeal to  
the Testimony of similar CHARITIES, long  
established in the great Metropolis and other  
populous Communities of this Kingdom,  
however requisite it might have been in  
A the

the early Periods of such novel Engagements, must be now deemed totally ineligible ; frequent Observation and unerring Experience, amply displayed in the Records of this DISPENSARY, affording the best and most satisfactory Evidence in its Favour. The commendatory Admissions, especially Surgical, appear very numerous, and the general Salubrity of the Situation (justly accounted an important Consideration) has been assiduously and successfully promoted. To effectuate this desirable Purpose, a brief, yet diversified SYSTEM of *Precautions* and *Prophylactics*, variously qualified to mitigate and prevent the pernicious Influence of CONTAGION, (than which, we know not a Calamity more deplorable) was occasionally distributed, and the Fulfillance of its Injunctions earnestly solicited.

OF the DISEASES, requiring the Succours of this CHARITY, the *acute and contagious* claim our primary and principal Attention; not only as in themselves highly violent and destructive to their suffering Objects; but also as peculiarly enabled to extensively diffuse the most baneful Malignancy. Their progressive Occurrence may be accurately traced from the daily Insertions in the *Dispensary Register*.—Two benign Cases of the *Natural Small Pox* remained upon the Books at the Conclusion of the last Year: To these were added, in *June* and the five following Months, several Others equally favourable, with one *fatal* Instance in that of *January*. A few Applications previously made for the salutary Effects of INOCULATION, from the adjoining Villages, proved perfectly successful. Hence it might have been expected that the lower Orders of Society relinquishing their hitherto almost insuperable Prejudices, would universally permit its preservative Influence; a single unfortunate Admission, and which was certainly imputable to injudicious Conduct, distinguishing, in the Space of Eleven Years, a List of 66 *inoculated Children*: the Example of the Opulent and Respectable, at the same Time, every where sanctioning this beneficent Practice.

Relative to CONTAGIOUS FEVERS, though accidentally liable, from our maritime and commercial Situation, to their frequent importation, we can most satisfactorily announce, that these have lately seldom, and always mildly occurred. A Reference to the tabular Statement of such Cases, with the Observations introductory to the *Annual Reports*, will exhibit the clearest Attestations of their comparative Numbers and respective Fatalities. We were, indeed, justly apprehensive of the dangerous Virulency of that PESTILENTIAL DISEASE, which, almost depopulating the Capital of America, had long and banefully prevailed in the *West India* Islands. Consequently, upon the Arrival of the Vessels from *Jamaica*, in the Month of *October*, at the judicious Requisition of a very worthy



thy naval Gentleman, † the Measures suggested and enforced by Government to prevent its Communication were most propitiously executed : the best Antidote to Infection, that of Fumigation with Gun-powder formed into a Paste with Vinegar, being copiously diffused, and a perfect Ventilation afterwards admitted. Thus happily exempt from the deleterious Agency of *Foreign Contagion* we had only to effectually prevent its originating with ourselves, or occasionally preclude its Introduction from the adjacent Country which, as a Subject of past Solicitude, and highly important in itself and its Consequences, may be next amply considered.

Early in the Month of *August*, a FEVER of the *nervous* Type rapidly and potently acceding to the *Putrid*, which had long raged with extreme Virulency, in distant marshy Situations of this Country, was unfortunately conveyed to an extensively useful Sail Cloth Manufactory ‡ in the Neighbourhood, where it generally and violently prevailed. Many of the Patients, then recommended to the DISPENSARY, appeared rather to suffer from the Operation of apprehensive Anxiety than actual Disease, and the Whole speedily recovered. The Similarity, in various Respects, of this *Malady* to that which distressfully infested the Cotton Mills, and Township of *Ratcliffe*, in 1784, necessarily excited an immediate and sedulous Attention to the numerous prophylactic and precautive Measures sagaciously prescribed by the medical Practitioners at *Manchester*. These, suitably adapted to the peculiar local Circumstances of the Works, and a few other requisite, lately discovered Expedients were assiduously and beneficially employed ; the very *Seminia* of this truly alarming Epidemic, with a solitary, fatal Exception in the Father of a Girl who introduced it into the Family, being readily and perfectly eradicated. A new Regulation adopted by the Committee, from the Exigency of the Occasion, and which will be applicable

† WILLIAM DON, Esq. Regulating Captain at this Port.

‡ That of Messrs. HORNBY, BELL, and BIRLEY, at *Low Mill*, near Egremont

|| Doctors PERCIVAL, COWLING, EASON, and CHORLEY.

applicable to future Emergencies, proved remarkably conducive to this salutary End; a *Nurse-keeper* constantly attending the Sick, for the Government of their Regimen, and the regular Exhibition of the proper Medicines.—The *febrile Cases* since admitted, in the Course of this Year, solely required the curative Aids of tonic, cordial, and opiate Remedies; saline and antimonial Preparations, or Blisters, as manifestly relaxing and debilitating the System, being totally relinquished.

The SCARLET FEVER, which had not generally raged here since the Spring of 1788, was the chief Epidemic of this Year. The Origin of a Disease so singularly destructive to Children could not be precisely determined. We only find that it first made its Appearance early in the Summer, gradually acquiring and diffusing a very malignant Influence during the Whole of the Autumn, and till the Beginning of Winter. The mild and moist State of these Seasons, especially in *November* and Part of *December*, induced a putrid, highly pernicious Tendency, which the succeeding keen and permanent Frost alone repressed. The Disease then became more favourable; its baneful Prevalency, being sensibly interrupted, was soon after finally overcome. Young Subjects and Females of delicate Constitutions, particularly if their general Health had been previously impaired and debilitated by constant Attendance or exquisite Anxiety, were most liable to suffer its powerful and fatal Influence.—Of the Nature and Degree of the Symptoms a considerable Variety, in different Patients and Periods, frequently occurred. The principal and most alarming were an unremitting febrile Tendency, with small fluid Eruptions occupying the Surface of the Body; a tumified and ulcerated State of the Throat; thick, livid Incrustations upon the Mouth, Tongue, and Lips, with copious Effusions from the Eyes and Nostrils; violent Delirium and ungovernable Restlessness and Inquietude; frequent Nausea, Vomiting, or Diarrhæa; and the whole Concourse accompanied with extreme universal Languor, remarkably obvious in the Expression of the Eye. The Duration of this Malady was from three to seven Days; and an irritating Separation of the Scarf Skin; glandular Tumours, especially

especially of the Neck; Deafness, arising from Suppurations in the Ear; and oedematous Affections of the Extremities are its frequent Terminations. With Regard to the medical Conduct, as inflammatory Appearances, even in the early Stages of the Disorder, never powerfully obtained, the antiphlogistic Regimen was seldom strictly enjoined, except in cold Seasons and plethoric Habits : On the contrary, its putrescent Disposition, preceded and distinguished by Relaxation and Debility, solely indicated the liberal Employment of Tonics and Antiseptics : Of these, the Bark, Wine, and Mineral Acids with Opiates, were most eligible. Blisters to the Throat, and detergent Gargles became also occasional, palliative Expedients. The Efficacy of the above Remedies, in alleviating and removing urgent Symptoms, has been lately so incontestibly proved by Experience, that it is highly probable the future Fatality of this Contagion, in Circumstances unpropitiously septic, may, from their copious Administration, in many Instances, be certainly anticipated and prevented.

The usual *chronic Weaknesses* and *Disorders* of the *Winter* were sensibly aggravated by its extreme and permanent Severity. From the 20th of *December* till the Beginning of *March*, a most intense Frost with much Snow (a few Days of Thaw intervening) prevailed over Europe. Farenheit's Thermometer, in the open Air, being sometimes reduced so low as 16 deg. below the freezing Point. Asthmatic and rheumatic Complaints then principally obtained. In the former our curative Indications chiefly aimed at promoting an easy, abundant Expectoration, especially obviating any local, painful Determination : too frequently, however, the Progress of the Malady to its fatal Event was so exceedingly rapid as to prevent their Efficacy. In the latter, a general, or topical inflammatory Tendency had been effectually guarded against, and a moderate Degree of Perspiration, excited and supported by the least stimulant Diluents. But the Imbecillity which incessant Labour, and the Advance of Life unavoidably occasion, increasing the Energy of Disease, oft rendered the Aids of Medicine merely palliative. At this Season also acute Disorders, particularly of a catarrhal or pleuritic Nature, induced  
by



by accidental Exposure to cold, potently occurred: yet were readily subdued by an exact Obedience to the various Articles of the cooling Regimen, and principally that of Blood-letting. The same Modes of Treatment most beneficially applied to the Relief or Removal of incipient consumptive Affections, even in Persons manifestly suffering an hereditary Predisposition to them. Inattentive to the suitable Regimen, especially a cautious Prevention of the immediate Operation and future Effects of the Inclemencies of the Season, these pulmonic Complaints, with the lower Class of People, were not less frequent than powerful.

The mutable State of the Weather in the Month of *March*, Frost, Snow, and Thaw alternately succeeding, gave Occasion to the general Prevalency of an inflammatory, catarrhal INFLUENZA, the chief Characters of which were an acutely painful, and sometimes an oppressive, Sensation in the Head, troublesome Irritation to cough, with difficult Expectoration, and abundant Discharges from the Nose and Eyes. These Symptoms, universally preceded and accompanied with extreme Lassitude and Weakness, especially affecting the Back and Limbs, remained urgent a very few Days, gradually receding, and seldom admitting any active medical Interposition. —The *dyenteric* and *Whooping Cough Cases*, though neither numerous nor violent, were, for the most Part, remarkably tedious. Their Symptoms, mitigated by occasional Remedies, being only removed by the Approach of a mild and temperate Season.

With a perfect Conviction of that PHILANTHROPY and MUNIFICENCE which have laudably influenced the BENEFACTORS and SUBSCRIBERS to this CHARITY, especially those remotely connected with it, and still more particularly the generous DONOR of the DISPENSARY, we respectfully effuse our best Acknowledgments of Gratitude and Esteem: to which also the intelligent REGISTER of the *Royal Humane Society* is justly entitled for the frequent Remittance of those various Publications which so amply elucidate and expand the important Subject of *Interrupted Animation*. Of these, the first Volume of its Transactions, comprising a Period of Ten Years, accurately and ingeniously tracing its progressive

gressive Improvements, deservedly claims the highest Estimation. We cannot here omit expressing our Plaudit of Approbation to the Merits of an Essay \* on *Vital Suspension*, which has lately procured its celebrated Editor a most honorary Premium. Fortunately this Port and the Neighbourhood have not lately demanded the resuscitating Aids of that valuable Institution.

\* " A New Inquiry into the Suspension of Vital Action, by A. FOTHERGILL, M. D. F. R. S."

---

The principal Designations, Proceedings, and Consequences of this medical, surgical, and midwifery ENDOWMENT, with its occasional, highly useful Appendages, being now generally intimated, we can suitably admit the fervent Wish,

That those Benefits, derived from that Success which has hitherto attended its zealous Exertions, may continue to happily distinguish them. Perfectly sensible that instigated to remove from Others the Evils we suffer not Ourselves, by committing  
 serating



erating and relieving the wide spread Woes of Indigency and Disease, the tender sympathetic Feelings of Nature and Humanity are most exquisitely gratified. May, therefore, the *Affluent* and *Compassionate*, generously patronizing, promoting, and establishing such *Charitable Institutions*, long and uninterruptedly possess those inestimable, salutary Advantages their Liberality variously and certainly conveys to its greatest Objects :---And, finally, may that PROVIDENTIAL GOODNESS, which presiding over, justly and benignly governs all temporal Events, especially in Periods of imminent Danger and distressful Solitude, compensating these Acts of disinterested, genuine, exalted Beneficence,

———— “ GRANT THEM BLESSINGS  
WHO THUS OTHERS BLESS.”

An ACCOUNT of the PATIENTS admitted, from  
JUNE 9, 1794, to JUNE 8, 1795.

Recommended and Registered, (of whom 797 were attended in their own Habitations) . . . . .	1825
Midwifery Objects . . . . .	84
Trivial Cafes . . . . .	1680
	<hr/>
	3589
Patients remaining upon the Books, June 9, 1794,	144
	<hr/>
	3733
	<hr/>

The STATE of the REGISTERS.

Cured . . . . .	166
Relieved . . . . .	3
Incurable . . . . .	2
Dead . . . . .	3
Remain upon the Books . . . . .	21
	<hr/>
	196
	<hr/>

Total

Total Number of PATIENTS admitted since the  
Institution of this CHARITY, *June 30, 1783.*

n 1783	. . .	2057		
n 1784	. . .	2644		
n 1785	. . .	3034		
n 1786	. . .	2708		
n 1787	. . .	2521	Cured . . .	19434
n 1788	. . .	2129	Relieved . . .	646
n 1789	. . .	5996	Incurable . . .	251
n 1790	. . .	3721	Irregular . . .	26
n 1791	. . .	2672	Dead . . .	610
n 1792	. . .	2806	Remain on the Books	213
n 1793	. . .	3248		
n 1794	. . .	3589		
		<u>37125</u>		<u>21180</u>

The Number of Patients admitted (as by the preceding List)	. . . . .	37125
Registered Patients	. . . . .	21180
Midwifery Objects	. . . . .	1036
Trivial Cases	. . . . .	14909
		<u>Total 37125</u>



## S U B S C R I B E R S.

A.				Brought over £. 29 11 6			
Rev. Richard Armitstead	0	10	6	Mr. Isaac Foster	.	0	10 6
Mr. Gerard Atkinson	.	0	5 0	Mr. H. Fletcher, Duke-street	0	10 6	
B.				G.			
W. Brownrigg, M. D. F. R. S.				Mr. Benjamin Gilliat	.	1	1 0
Ormathwaite	.	2	2 0	Mrs. Grayburn	.	0	10 6
Anthony Benn, Esq. Hensing-				H.			
ham	.	3	3 0	Rev. Wilfrid Hudleston	.	2	2 0
Mr. John Barns, Maryport	1	1	0	John Hartley, Esq.	.	2	2 0
Mr. John Beck	.	1	1 0	Thomas Hartley, Esq.	.	2	2 0
Robert Blakeney, Esq.	.	1	1 0	John Hamilton, Esq.	.	2	2 0
Mr. John Bateman	.	0	10 6	Messrs. Hornby, Bell, & Birley	2	2	
Mr. William Birkhead	.	0	10 6	Rev. Peter How, Workington	1	1	
Mr. William Bowes	.	0	10 6	Mr. Joseph Harris, Surgeon	1	1	
Messrs. John & Isaac Bragg	0	10	6	Mr. T. Hutchinson, Druggist	1	1	
Mr. Henry Booth, Woodend	0	10	6	Mr. William Harrison	.	0	10 0
Mr. John Birkett	.	0	10 6	Mr. James Hall	.	0	10 0
Mrs. Richard Bowman	.	0	10 6	Mr. John Huddleston	.	0	5 0
† Mr. Richard Bowes	.	0	10 6	Mr. Benjamin Harris	.	0	5 0
Mr. Robert Baldrige	.	0	5 0	J.			
Mr. Henry Bragg, Parton	.	0	5 0	E. L. Irton, Esq. Irton Hall	2	2	
C.				T. Irwin, Esq. Linethwaite	1	1	
J. C. Curwen, Esq. Working-				Messrs. E. & J. Johnston	1	1	
ton Hall	.	5	5 0	Mr. Henry Jefferson	.	0	10 0
Rev. C. C. Church	.	1	1 0	Messrs. J. & W. Johnston	0	5	
Henry Crosthwaite, M. D.	1	1	0	K.			
Mr. Walter Chambre	.	0	10 6	Rev. James Kirkpatrick	1	1	
Mr. James Corkhill	.	0	5 0	Mr. Thomas Kirkpatrick	0	5	
Mr. Robert Carter	.	0	5 0	L.			
Mr. John Clementson	.	0	5 0	Sir Wilfrid Lawson, Bart.			
D.				Brayton	.	5	5 0
John Dixon, Esq.	.	2	2 0	Henry Lutwidge, Esq.	2	2	
† Mr. Henry Dixon	.	1	1 0	Thomas Lutwidge, Esq.	1	1	
Mr. Peter Dixon	.	1	1 0	William Lewthwaite, Esq.	1	1	
Joshua Dixon, M. D.	.	1	1 0	Mr. Richard Ledger	.	0	10 0
Mr. John Douglas	.	0	10 6	Mr. John Lancaster	.	0	10 0
Mr. John Dunn	.	0	5 0	Mr. John Litt, Bowthorn	.	0	10 0
F.				M.			
Mr. Thomas Fisher	.	1	1 0	William Moore, Esq.	.	1	1 0
Carried forward £. 29 11 6				Carried forward £. 65 14			

	Brought over	£ 88	9	6
	T.			
Mr. Ebenezer Tipping		0	5	0
Mrs. Telfer		0	5	0
	V.			
Mr. George Vickers		0	10	6
	W.			
John Wilson, Esq.		1	1	0
Mr. John Ware		1	1	0
Mr. Mark Wylie, Druggist		1	1	0
Mrs. Wetherald Wigton		1	1	0
Mrs. Watts		0	10	6
Mr. Witherington		0	10	6
Mr. John Williamfon, Sur- geon		0	10	6
Mr. William Wilfon		0	10	6
Mr. John Walker		0	5	0
Rev. David Williamfon		0	5	0
Mr. Jonathan Wills		0	5	0
	Y.			
Mr. Peter How Younger		1	1	0
<hr/>				
Total Subscriptions	£. 97	13	0	
In the Charity Box	1	1	0	
Cash Lent	100	0	0	
Interest of Do.	5	0	0	
Balance with the Treafurer last Year	56	0	9½	
Interest of Surplus Cash	1	10	0	
<hr/>				
Total	£. 261	4	9½	
Disbursements	125	16	1¼	
<hr/>				
Balance in Favour of the Charity	£. 135	8	8¼	
<hr/>				
DISBURSEMENTS				

## DISBURSEMENTS.

# DISBURSEMENTS.

Drugs and Medicines	£.51	9	10 <sup>1</sup> / <sub>4</sub>	riage of Drugs, Leeches,				
Midwifery Expences	. 10	2	6	and fundry small Arti-				
Printing and Stationary	7	10	8	ticles . . . . .	9	19	0	
Wine . . . . .	4	6	1	Apothecary's Salary and	}	40	10	0
Spirit for Tinctures . . . . .	1	18	0	Gratuity . . . . .				
Coals, Candles, Herbs, At-				Total . . . . .		£.125	16	1 <sup>1</sup> / <sub>4</sub>
tendance, Nursekeeper,								
Phials, Leather, Car-								

Each new Subscription is thus † marked.

SUBSCRIPTIONS are taken in at the TREASURER's; at Mr. WARE's  
PRINTING-OFFICE; and at the DISPENSARY.

Blank Letters of Recommendation may be had at the Dispensary.





# OFFICERS for the YEAR 1795.

## PRESIDENT.

The Right Honourable James Earl of Lonsdale.

## VICE PRESIDENTS.

John Christian Curwen, Esq — Anthony Benn, Esq.  
W. Brownrigg, M. D. & F.R.S.—Rev. Wilfrid Hudleston.  
Rev. C. C. Church.—T. Irwin, Esq.—Wm. Moore, Esq.

## TREASURER.

## SECRETARY.

Robert Blakeney, Esq. Mr. Peter How Younger.

## AUDITORS.

Thomas Hartley, Esq.—Thomas Irwin, Esq.

Mr. Henry Birley.

## COMMITTEE.

James Hogarth, Esq.—Rev. J. Kirkpatrick.  
Mr. H. Dixon.—W. Lewthwaite, Esq.—Mr. Sanderfon,  
President of the Royal Union Society.—Mr. Gilliat.  
Mr. Potter.—Mr. E. Moore.—Mr. Alex. Spittall.  
Mr. And. Spittall.—John Wilson, Esq.

## MEDICAL COMMITTEE.

Joshua Dixon, M. D.—Henry Crosthwaite, M. D.  
John Hamilton, Esq.—Mr. Joseph Harris, Surgeon.

Mr. John Williamson, Surgeon.

## PHYSICIAN.

Joshua Dixon, M. D.

## SURGEON EXTRAORDINARY.

John Hamilton, Esq.

## SURGEONS.

Messrs. Harris and Crosthwaite.

## APOTHECARY.

Mr. Jacob Maxwell.



# A SYSTEMATIC ARRANGEMENT OF THE PRECEDING DISEASES, WITH THEIR RESPECTIVE EVENTS.

	Under 2 Years.	Between 2 & 5 Years.	5 & 10	10 & 15	15 & 20	20 & 30	30 & 40	40 & 50	50 & 60	60 & 70	70 & 80	80 & 90	P Cured.	A Relieved.	T Incurable.	I Dead.	E Upon the Books.	T Total.
<b>I. FEBRILE DISEASES.</b>																		
Intermittent Fever	.	.	.	.	.	1	1	C.D.	.	.	.	.	2	.	.	.	.	2
Nervous Fever	.	.	.	5	1	2	1	4	1	.	.	.	13	.	.	1	.	14
Worm Fever	6	34	48	23	2	.	.	.	.	.	.	.	89	.	.	.	24	113
External Inflammation	.	2	1	6	2	9	14	15	3	1	.	1	41	.	.	.	13	54
Gangrene	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1
Inflammation of Eyes	1	8	8	4	3	9	6	3	3	2	1	.	38	.	.	.	10	48
Inflammatory Sore Throat	.	D.	.	2	3	5	3	2	2	1	.	.	18	.	.	.	.	18
Croup	.	1	.	.	.	.	C.D.	.	.	.	.	.	.	.	.	1	.	1
Inflammation of the Lungs	.	.	1	1	1	1	1	1	2	.	.	.	6	.	.	1	1	8
Acute Rheumatism	.	.	.	2	1	7	21	5	.	.	.	.	29	.	.	.	7	36
Chronic Rheumatism	.	.	.	.	.	.	3	11	3	2	3	1	11	2	8	.	2	23
Inflammatory Eruptions	2	11	10	9	7	7	11	5	2	1	.	.	50	.	.	.	15	65
Erysipelas	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	2
Natural Small Pox	C.D.	16	2	1	1	.	.	.	.	.	.	.	22	.	.	1	.	23
Measles	2	1	C.D.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Scarlet Fever	8	46	48	15	10	6	5	2	.	.	.	.	136	.	.	5	4	145
Hæmorrhages	.	.	1	.	.	C.D.	C.D.	.	2	.	.	.	7	.	.	.	.	7
Consumption	.	.	.	.	.	1	2	1	.	.	.	.	2	.	.	3	2	7
Fluor Albus	.	.	.	.	.	1	1	1	.	1	.	.	2	.	.	.	1	3
Abortion	.	.	.	.	.	.	1	1	.	.	.	.	2	.	.	.	.	2
After Pains	.	.	.	1	17	18	1	.	.	.	.	.	34	.	.	.	3	37
Catarth	.	.	4	2	5	1	6	7	3	.	.	.	28	.	.	.	.	28
Influenza	.	2	5	18	25	31	79	34	28	7	.	.	229	.	.	.	.	229
Dysentery	.	.	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.	2
<b>II. NERVOUS DISEASES.</b>																		
Head Ach	.	.	1	2	1	3	4	5	.	.	.	.	8	.	3	.	5	16
Fainting	.	.	.	.	1	2	2	.	3	.	.	.	8	.	.	.	.	8
Palsy	.	.	.	1	.	C.D.	2	1	1	.	.	D.	.	1	.	2	4	7
Indigestion	.	2	2	2	9	26	24	32	18	9	1	.	91	4	3	.	27	125
Flatulency	36	4	1	.	.	.	.	.	.	.	.	.	40	.	.	.	1	41
Convulsions	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	2	.	4
Epilepsy	.	.	.	3	2	1	2	.	.	.	.	.	2	.	2	.	4	8
Asthma	.	.	.	.	.	.	1	5	9	15	3	10	1	4	15	3	5	46
Hooping Cough	1	6	1	.	.	.	.	.	.	.	.	.	7	.	.	1	1	9
Colic	.	3	2	4	1	4	14	3	3	3	2	.	39	.	.	.	5	44
Diarrhæa	1	6	3	3	1	5	3	3	1	2	2	1	24	.	.	2	5	31
Hysteria	.	.	.	.	.	2	3	1	1	.	.	.	7	.	.	.	1	7
Melancholy	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
<b>III. DISEASES of the HABIT.</b>																		
General Weakness	.	.	.	.	.	.	C.D.	C.D.	C.D.	1	2	1	.	1	.	4	2	7
Dropsy	.	2	2	.	.	.	2	1	2	1	1	1	6	1	1	4	3	15
Hydrocele	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1
Scrophula	.	1	4	.	2	1	1	1	1	.	.	.	2	1	1	.	7	11
Lues Venerea	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1
<b>IV. LOCAL DISEASES.</b>																		
Gravel	.	.	.	.	.	1	1	2	2	3	.	.	1	1	.	.	7	9
Rupture	.	.	.	.	.	.	.	.	C.D.	1	D.	.	.	.	.	2	1	3
Scorbutic Eruptions	5	31	38	43	16	16	27	15	10	3	2	1	195	.	.	.	12	207
Wounds	.	.	.	.	.	.	.	.	.	.	.	.	70	.	.	.	5	75
Contusions	.	.	.	.	.	.	.	.	.	.	.	.	112	.	.	.	9	121
Ulcers	.	.	.	.	.	.	.	.	.	.	.	.	16	.	1	.	3	20
Fractures	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	.	6
Sprains	.	.	.	.	.	.	.	.	.	.	.	.	28	.	.	.	1	29
Burns	.	.	.	.	.	.	.	.	.	.	.	.	61	.	.	.	3	64
Abcesses	.	.	.	.	.	.	.	.	.	.	.	.	34	.	.	.	4	38
													1528	27	22	35	213	1825

## A Tabular Statement of the Continued FEVER Cases, from June 30, 1783, to June 8, 1795.

	Under 2 Years.	Between 2 & 5 Years	5 & 10	10 & 15	15 & 20	20 & 30	30 & 40	40 & 50	50 & 60	60 & 70	70 & 80	Cured.	Dead.	Total.
1783	5 0	10 0	9 0	4 0	6 0	18 0	10 1	4 0	4 0	3 0	2 0	75	1	76
1784	20 0	42 0	64 1	47 0	34 0	49 1	60 3	49 1	19 1	9 2	8 0	401	9	410
1785	8 0	42 0	71 0	48 1	21 2	48 1	40 7	36 5	21 3	15 1	0 0	350	20	370
1786	0 0	3 0	6 1	10 1	7 1	16 1	18 1	20 0	6 0	4 1	1 0	91	6	97
1787	0 0	0 0	0 0	1 0	2 0	6 0	1 0	5 0	3 1	2 0	1 0	21	1	22
1788	0 0	4 0	8 0	6 0	7 0	10 1	6 3	9 3	1 0	2 0	0 0	53	7	60
1789	0 0	10 0	13 0	18 0	8 1	19 1	15 0	13 0	6 0	0 0	1 0	103	2	105
1790	2 0	19 0	42 1	50 0	40 2	39 7	48 3	27 4	12 3	8 1	1 0	288	21	309
1791	3 0	5 0	6 0	8 0	7 0	9 1	13 1	15 1	5 1	2 1	1 0	74	5	79
1792	0 0	0 0	2 0	2 0	1 0	8 1	0 0	4 1	0 0	0 0	0 0	17	2	19
1793	0 0	0 0	1 0	1 0	1 0	0 0	1 0	2 2	1 1	0 0	0 0	7	3	10
1794	0 0	0 0	0 0	1 0	1 0	2 0	1 0	4 1	0 0	0 0	0 0	13	1	14
Total	38 0	135 0	222 3	200 4	135 6	224 14	213 19	184 18	78 10	45 6	15 0	1493	78	1571



